

# DREAM Small Straler 1100



## Eigenschappen

CE  
 IP20  
 UGR <19  
 134 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	B
8717696130738	Dream Small 1100lm 827 DALI Eutrac 3F+Data 40° BL	1078	9.3	116	2700	80	198	147
8717696121637	Dream Small 1100lm 827 ND 3F 40° WH	1078	9.3	116	2700	80	198	147
8717696112758	Dream Small 1100lm 840 ND 3F 40° BL	1080	8.7	124	4000	80	198	147
8717696112772	Dream Small 1100lm 840 ND 3F 40° WH	1080	8.7	124	4000	80	198	147
8717696112789	Dream Small 1100lm 930 CW ND 3F 40° BL	1080	10.7	101	3000	80	198	147
8717696112796	Dream Small 1100lm 930 CW ND 3F 40° WH	1080	10.7	101	3000	80	198	147
8717696114714	Dream Small 1100lm 830 DALI Eutrac 3F+Data 40° WH	1081	9	120	3000	80	198	147
8717696119801	Dream Small 1100lm 830 ND 3F 24° WH	1081	9	120	3000	80	198	147
8717696112734	Dream Small 1100lm 830 ND 3F 40° BL	1081	9	120	3000	80	198	147
8717696127189	Dream Small 1100lm 830 ND 3F 40° GR	1081	9	120	3000	80	198	147
8717696112741	Dream Small 1100lm 830 ND 3F 40° WH	1081	9	120	3000	80	198	147
8717696139663	Dream Small 1100lm 830 ND 3F 40° WH + Honeycomb	1081	9	120	3000	80	198	147

# DREAM Small Straler 2000



## Eigenschappen

CE  
 IP20  
 UGR <19  
 134 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	B
8717696135917	Dream Small 2000lm 930 PW ND 3F 24° BL	1971	20	99	3000	80	198	147
8717696134507	Dream Small 2000lm 930 PW ND 3F 40° WH	1971	20	99	3000	80	198	147
8717696135924	Dream Small 2000lm 940 PW ND 3F 24° BL	1972	18.4	107	4000	80	198	147
8717696120265	Dream Small 2000lm 830 DALI Eutrac 3F+Data 40° BL	1977	16.3	121	3000	80	198	147
8717696120395	Dream Small 2000lm 830 DIM-V Eutrac 3F+Data 40° BL	1977	16.3	121	3000	80	198	147
8717696133777	Dream Small 2000lm 830 DIM-V Eutrac 3F+Data 60° GR	1977	16.3	121	3000	80	198	147
8717696121859	Dream Small 2000lm 830 DIM-V Eutrac 3F+Data 60° WH	1977	16.3	121	3000	80	198	147
8717696140508	Dream Small 2000lm 830 ND 3F 15° BL	1977	16.3	121	3000	80	198	147
8717696119061	Dream Small 2000lm 830 ND 3F 15° WH	1977	16.3	121	3000	80	198	147
8717696119078	Dream Small 2000lm 830 ND 3F 24° BL	1977	16.3	121	3000	80	198	147
8717696119085	Dream Small 2000lm 830 ND 3F 24° WH	1977	16.3	121	3000	80	198	147
8717696112802	Dream Small 2000lm 830 ND 3F 40° BL	1977	16.3	121	3000	80	198	147
8717696112819	Dream Small 2000lm 830 ND 3F 40° WH	1977	16.3	121	3000	80	198	147
8717696130929	Dream Small 2000lm 827 DALI Eutrac 3F+Data 24° BL HC	1978	14.4	121	2700	80	198	147
8717696130912	Dream Small 2000lm 827 DALI Eutrac 3F+Data 40° BL HC	1978	18.4	121	2700	80	198	147
8717696112826	Dream Small 2000lm 840 ND 3F 40° BL	1978	15.6	127	4000	80	198	147
8717696112833	Dream Small 2000lm 840 ND 3F 40° WH	1978	15.6	127	4000	80	198	147
8717696127851	Dream Small 2000lm 830 PW ND 3F 40° BL	1979	16.8	118	3000	80	198	147
8717696112840	Dream Small 2000lm 930 CW ND 3F 40° BL	1980	24.7	80	3000	80	198	147
8717696112857	Dream Small 2000lm 930 CW ND 3F 40° WH	1980	24.7	80	3000	80	198	147
8717696137065	Dream Small 2000lm 927 ND 3F 40° BL	1981	20.5	97	2700	80	198	147

# DREAM Small Straler 3000



## Eigenschappen

CE  
 IP20  
 UGR <19  
 134 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	B
8717696119887	Dream Small 3000lm 827 ND 3F 15° BL	2971	27.8	107	2700	80	198	147
8717696126991	Dream Small 3000lm 830 ND 3F 15° BL	2971	23.2	128	3000	80	198	147
8717696119825	Dream Small 3000lm 830 ND 3F 15° WH	2971	23.2	128	3000	80	198	147
8717696118644	Dream Small 3000lm 830 ND 3F 24° BL	2971	23.2	128	3000	80	198	147
8717696119832	Dream Small 3000lm 830 ND 3F 24° WH	2971	23.2	128	3000	80	198	147
8717696112864	Dream Small 3000lm 830 ND 3F 40° BL	2971	23.2	128	3000	80	198	147
8717696112871	Dream Small 3000lm 830 ND 3F 40° WH	2971	23.2	128	3000	80	198	147
8717696127004	Dream Small 3000lm 830 ND 3F 60° BL	2971	23.2	128	3000	80	198	147
8717696114172	Dream Small 3000lm 930 CW ND 3F 24° BL	2971	36.4	82	3000	80	198	147
8717696135931	Dream Small 3000lm 940 PW ND 3F 24° BL	2971	26.6	112	4000	80	198	147
8717696136419	Dream Small 3000lm 940 PW ND 3F 24° GR	2971	26.6	112	4000	80	198	147
8717696122467	Dream Small 3000lm 830 PW ND 3F 15° BL	2972	24	124	3000	80	198	147
8717696126973	Dream Small 3000lm 830 PW ND 3F 24° BL	2972	24	124	3000	80	198	147
8717696117890	Dream Small 3000lm 830 PW ND 3F 40° BL	2972	24	124	3000	80	198	147
8717696136358	Dream Small 3000lm 930 PW Dali Eutrac 3F + Data 40° WH	2973	29.3	102	3000	80	198	147
8717696140478	Dream Small 3000lm 930 PW ND 3F 15° BL	2973	29.3	102	3000	80	198	147
8717696116848	Dream Small 3000lm 930 PW ND 3F 24° BL	2973	29.3	102	3000	80	198	147
8717696116855	Dream Small 3000lm 930 PW ND 3F 24° WH	2973	29.3	102	3000	80	198	147
8717696116862	Dream Small 3000lm 930 PW ND 3F 40° BL	2973	29.3	102	3000	80	198	147
8717696116879	Dream Small 3000lm 930 PW ND 3F 40° WH	2973	29.3	102	3000	80	198	147
8717696112888	Dream Small 3000lm 840 ND 3F 40° BL	2974	22.1	134	4000	80	198	147
8717696112895	Dream Small 3000lm 840 ND 3F 40° WH	2974	22.1	134	4000	80	198	147

# DREAM Big Straler 1100



## Eigenschappen

CE

IP20

UGR &lt;21

141 lm/w

L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	B
8717696122450	Dream Big 1100lm 827 DALI Eutrac 3F+Data 24° BL	1078	9.3	116	2700	100	209	147
8717696112536	Dream Big 1100lm 840 ND 3F 40° WH	1080	8.7	124	4000	100	209	147
8717696112482	Dream Big 1100lm 840 ND 3F 40° BL	1080	8.7	124	4000	100	209	147
8717696112529	Dream Big 1100lm 830 ND 3F 40° WH	1081	9	120	3000	100	209	147
8717696112475	Dream Big 1100lm 830 ND 3F 40° BL	1081	9	120	3000	100	209	147
8717696112611	Dream Big 1100lm 930 CW ND 3F 40° WH	1124	14.4	78	3000	100	209	147
8717696112628	Dream Big 1100lm 930 CW ND 3F 40° BL	1124	14.4	78	3000	100	209	147

# DREAM Big Straler 2000



## Eigenschappen

CE  
IP20  
UGR <21

141 lm/w  
L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	B
8717696120166	Dream Big 2000lm 930 PW ND 3F 40° WH	1971	20	99	3000	100	209	147
8717696141567	Dream Big 2000lm 830 DIM-V Eutrac 3F+Data 60° BL	1977	16.3	121	3000	100	209	147
8717696142588	Dream Big 2000lm 830 DIM-V Eutrac 3F+Data 60° GR	1977	16.3	121	3000	100	209	147
8717696137430	Dream Big 2000lm 830 Fase Dim 3F 40° WH	1977	16.3	121	3000	100	209	147
8717696138741	Dream Big 2000lm 930 ND 3F 40° GR	1977	16.3	121	3000	100	209	147
8717696113946	Dream Big 2000lm 830 DALI Eutrac 3F+Data 24° BL	1977	16.3	121	3000	100	209	147
8717696121187	Dream Big 2000lm 830 DALI Eutrac 3F+Data 40° BL	1977	16.3	121	3000	100	209	147
8717696113649	Dream Big 2000lm 830 ND 3F 24° BL	1977	16.3	121	3000	100	209	147
8717696111676	Dream Big 2000lm 830 ND 3F 40° BL	1977	16.3	121	3000	100	209	147
8717696112543	Dream Big 2000lm 830 ND 3F 40° WH	1977	16.3	121	3000	100	209	147
8717696129794	Dream Big 2000lm 830 ND 3F 24° GR	1977	16.3	121	3000	100	209	147
8717696131414	Dream Big 2000lm 830 ND 3F 40° GR	1977	16.3	121	3000	100	209	147
8717696130530	Dream Big 2000lm 830 ND 3F 40° WH + Honeycomb	1977	16.3	121	3000	100	209	147
8717696115094	Dream Big 2000lm 827 ND 3F 40° BL	1978	18.4	107	2700	100	209	147
8717696120159	Dream Big 2000lm 827 ND 3F 40° WH	1978	18.4	107	2700	100	209	147
8717696113625	Dream Big 2000lm 840 ND 3F 24° BL	1978	15.6	127	4000	100	209	147
8717696111669	Dream Big 2000lm 840 ND 3F 40° BL	1978	15.6	127	4000	100	209	147
8717696112550	Dream Big 2000lm 840 ND 3F 40° WH	1978	15.6	127	4000	100	209	147
8717696120401	Dream Big 2000lm 830 PW DIM-V Eutrac 3F+Data 40° BL	1979	16.8	118	3000	100	209	147
8717696129787	Dream Big 2000lm 830 PW ND 3F 24° GR	1979	16.8	118	3000	100	209	147
8717696112642	Dream Big 2000lm 930 CW ND 3F 40° BL	1980	24.7	80	3000	100	209	147

# DREAM Big Straler 3000



## Eigenschappen

CE  
 IP20  
 UGR <21  
 141 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	B
8717696112727	Dream Big 3000lm 925 FWW ND 3F 40° BL	2970	43.4	68	2500	100	209	147
8717696112697	Dream Big 3000lm 925 FWW ND 3F 40° WH	2970	43.4	68	2500	100	209	147
8717696112710	Dream Big 3000lm 930 FPR ND 3F 40° BL	2970	41.1	72	3000	100	209	147
8717696112703	Dream Big 3000lm 930 FPR ND 3F 40° WH	2970	41.1	72	3000	100	209	147
8717696111843	Dream Big 3000lm 827 ND 3F 40° BL	2971	27.8	107	2700	100	209	147
8717696130226	Dream Big 3000lm 827 ND 3F 40° GR	2971	27.8	107	2700	100	209	147
8717696112567	Dream Big 3000lm 827 ND 3F 40° WH	2971	27.8	107	2700	100	209	147
8717696130592	Dream Big 3000lm 830 ND 3F 24° GR	2971	23.2	128	3000	100	209	147
8717696119818	Dream Big 3000lm 830 ND 3F 24° WH	2971	23.2	128	3000	100	209	147
8717696099295	Dream Big 3000lm 830 ND 3F 40° BL	2971	23.2	128	3000	100	209	147
8717696115698	Dream Big 3000lm 830 ND 3F 40° GR	2971	23.2	128	3000	100	209	147
8717696112574	Dream Big 3000lm 830 ND 3F 40° WH	2971	23.2	128	3000	100	209	147
8717696112666	Dream Big 3000lm 930 CW ND 3F 40° BL	2971	36.4	82	3000	100	209	147
8717696112659	Dream Big 3000lm 930 CW ND 3F 40° WH	2971	36.4	82	3000	100	209	147
8717696136471	Dream Big 3000lm 940 PW ND 3F 24° GR	2971	26.6	112	4000	100	209	147
8717696122030	Dream Big 3000lm 830 PW DALI Eutrac 3F+Data 40° BL	2972	24	124	3000	100	209	147
8717696121767	Dream Big 3000lm 830 PW DIM-V Eutrac 3F+Data 40° BL	2972	24	124	3000	100	209	147
8717696117906	Dream Big 3000lm 830 PW ND 3F 40° BL	2972	24	124	3000	100	209	147
8717696129763	Dream Big 3000lm 830 PW ND 3F 40° GR	2972	24	124	3000	100	209	147
8717696119955	Dream Big 3000lm 930 PW DALI Eutrac 3F+Data 40° B	2973	29.3	102	3000	100	209	147
8717696117258	Dream Big 3000lm 930 PW DALI Eutrac 3F+Data 40° W	2973	29.3	102	3000	100	209	147
8717696116800	Dream Big 3000lm 930 PW ND 3F 24° BL	2973	29.3	102	3000	100	209	147

# DREAM Big Straler 4500



## Eigenschappen

CE  
 IP20  
 UGR <21  
 141 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	B
8717696112512	Dream Big 4500lm 840 ND 3F 40° BL	4495	31.9	141	4000	100	209	147
8717696112604	Dream Big 4500lm 840 ND 3F 40° WH	4495	31.9	141	4000	100	209	147
8717696131285	Dream Big 4500lm 830 ND 3F 24° BL	4498	35.5	127	3000	100	209	147
8717696112505	Dream Big 4500lm 830 ND 3F 40° BL	4498	35.5	127	3000	100	209	147
8717696115681	Dream Big 4500lm 830 ND 3F 40° GR	4498	35.5	127	3000	100	209	147
8717696112598	Dream Big 4500lm 830 ND 3F 40° WH	4498	35.5	127	3000	100	209	147
8717696138901	Dream Big 4500lm 927 DALI Eutrac 3F+Data 40° BL	4500	44.9	110	2700	100	209	147
8717696112680	Dream Big 4500lm 930 PW ND 3F 40° BL	4502	40.8	110	3000	100	209	147
8717696120296	Dream Big 4500lm 930 PW ND 3F 40° GR	4502	40.8	110	3000	100	209	147
8717696112673	Dream Big 4500lm 930 PW ND 3F 40° WH	4502	40.8	110	3000	100	209	147

# Crown 1100lm



## Eigenschappen

CE  
 IP20  
 UGR <19  
 134 lm/w  
 L80B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L
8717696152433	Crown 1100lm 927 ND 3F 36° BL	1078	11	98	2700	108	168
8717696152440	Crown 1100lm 927 ND 3F 36° WH	1078	11	98	2700	108	168
8717696151900	Crown 1100lm 840 ND 3F 15° BL	1080	8.7	124	4000	108	168
8717696151917	Crown 1100lm 840 ND 3F 15° WH	1080	8.7	124	4000	108	168
8717696151955	Crown 1100lm 840 ND 3F 24° BL	1080	8.7	124	4000	108	168
8717696151962	Crown 1100lm 840 ND 3F 24° WH	1080	8.7	124	4000	108	168
8717696152099	Crown 1100lm 840 ND 3F 36° BL	1080	8.7	124	4000	108	168
8717696152105	Crown 1100lm 840 ND 3F 36° WH	1080	8.7	124	4000	108	168
8717696151849	Crown 1100lm 830 ND 3F 15° BL	1081	9	120	3000	108	168
8717696151856	Crown 1100lm 830 ND 3F 15° WH	1081	9	120	3000	108	168
8717696151870	Crown 1100lm 830 ND 3F 24° BL	1081	9	120	3000	108	168
8717696151863	Crown 1100lm 830 ND 3F 24° WH	1081	9	120	3000	108	168
8717696151887	Crown 1100lm 830 ND 3F 36° BL	1081	9	120	3000	108	168
8717696151894	Crown 1100lm 830 ND 3F 36° WH	1081	9	120	3000	108	168



# Crown 2000lm



## Eigenschappen

CE  
 IP20  
 UGR <19  
 134 lm/w  
 L80B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L
8717696152396	Crown 2000lm 930 PW ND 3F 36° BL	1971	20	99	3000	108	168
8717696152402	Crown 2000lm 930 PW ND 3F 36° WH	1971	20	99	3000	108	168
8717696151979	Crown 2000lm 830 ND 3F 15° BL	1977	16.3	121	3000	108	168
8717696151986	Crown 2000lm 830 ND 3F 15° WH	1977	16.3	121	3000	108	168
8717696151993	Crown 2000lm 830 ND 3F 24° BL	1977	16.3	121	3000	108	168
8717696152006	Crown 2000lm 830 ND 3F 24° WH	1977	16.3	121	3000	108	168
8717696152020	Crown 2000lm 830 ND 3F 36° BL	1977	16.3	121	3000	108	168
8717696152037	Crown 2000lm 830 ND 3F 36° WH	1977	16.3	121	3000	108	168
8717696152051	Crown 2000lm 840 ND 3F 15° BL	1978	15.6	127	4000	108	168
8717696152068	Crown 2000lm 840 ND 3F 15° WH	1978	15.6	127	4000	108	168
8717696152075	Crown 2000lm 840 ND 3F 24° BL	1978	15.6	127	4000	108	168
8717696152082	Crown 2000lm 840 ND 3F 24° WH	1978	15.6	127	4000	108	168
8717696152112	Crown 2000lm 840 ND 3F 36° BL	1978	15.6	127	4000	108	168
8717696152129	Crown 2000lm 840 ND 3F 36° WH	1978	15.6	127	4000	108	168
8717696152259	Crown 2000lm 830 PW ND 3F 36° BL	1979	16.8	118	4000	108	168
8717696152266	Crown 2000lm 830 PW ND 3F 36° WH	1979	16.8	118	4000	108	168

# Crown 3000lm



## Eigenschappen

CE  
 IP20  
 UGR <19  
 134 lm/w  
 L80B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L
8717696152136	Crown 3000lm 830 ND 3F 15° BL	2971	23.2	128	3000	108	168
8717696152167	Crown 3000lm 830 ND 3F 15° WH	2971	23.2	128	3000	108	168
8717696152143	Crown 3000lm 830 ND 3F 24° BL	2971	23.2	128	3000	108	168
8717696152174	Crown 3000lm 830 ND 3F 24° WH	2971	23.2	128	3000	108	168
8717696152150	Crown 3000lm 830 ND 3F 36° BL	2971	23.2	128	3000	108	168
8717696152181	Crown 3000lm 830 ND 3F 36° WH	2971	23.2	128	3000	108	168
8717696152280	Crown 3000lm 830 PW ND 3F 36° BL	2972	24	124	3000	108	168
8717696152273	Crown 3000lm 830 PW ND 3F 36° WH	2972	24	124	3000	108	168
8717696152419	Crown 3000lm 930 PW ND 3F 36° BL	2973	29.3	102	3000	108	168
8717696152426	Crown 3000lm 930 PW ND 3F 36° WH	2973	29.3	102	3000	108	168
8717696152198	Crown 3000lm 840 ND 3F 15° BL	2974	22.1	134	4000	108	168
8717696152204	Crown 3000lm 840 ND 3F 15° WH	2974	22.1	134	4000	108	168
8717696152211	Crown 3000lm 840 ND 3F 24° BL	2974	22.1	134	4000	108	168
8717696152228	Crown 3000lm 840 ND 3F 24° WH	2974	22.1	134	4000	108	168
8717696152235	Crown 3000lm 840 ND 3F 36° BL	2974	22.1	134	4000	108	168
8717696152242	Crown 3000lm 840 ND 3F 36° WH	2974	22.1	134	4000	108	168

# Plaza 2000lm



## Eigenschappen

CE  
 IP20  
 UGR <26  
 141 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	H
8717696145138	Plaza 2000lm 930 PW ND 3F 40° BL	1971	20	99	3000	230	115	195
8717696133906	Plaza 2000lm 940 PW ND 3F 40° BL	1972	18.4	107	4000	230	115	195
8717696133890	Plaza 2000lm 940 PW ND 3F 40° WH	1972	18.4	107	4000	230	115	195
8717696144803	Plaza 2000lm 830 DALI 3F-EUTRAC 40° WH	1977	16.3	121	3000	230	115	195
8717696128780	Plaza 2000lm 830 ND 3F 40° BL	1977	16.3	121	3000	230	115	195
8717696128759	Plaza 2000lm 830 ND 3F 40° WH	1977	16.3	121	3000	230	115	195
8717696128797	Plaza 2000lm 840 ND 3F 40° BL	1978	15.6	127	4000	230	115	195
8717696128803	Plaza 2000lm 840 ND 3F 40° WH	1978	15.6	127	4000	230	115	195
8717696136686	PLaza 2000lm 927 ND 3F 40° BL	1981	20.5	97	2700	230	115	195

# Plaza 3000lm



## Eigenschappen

CE  
 IP20  
 UGR <26  
 141 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	H
8717696137454	Plaza 3000lm 925 FWW ND 3F 40° BL	2970	43.4	112	2500	230	115	195
8717696137447	Plaza 3000lm 925 FWW ND 3F 40° WH	2970	43.4	102	2500	230	115	195
8717696128810	Plaza 3000lm 830 ND 3F 40° BL	2971	23.2	128	3000	230	115	195
8717696128827	Plaza 3000lm 830 ND 3F 40° WH	2971	23.2	128	3000	230	115	195
8717696133852	Plaza 3000lm 940 PW ND 3F 40° BL	2971	26.6	112	4000	230	115	195
8717696133883	Plaza 3000lm 940 PW ND 3F 40° WH	2971	26.6	112	4000	230	115	195
8717696139175	Plaza 3000lm 930 PW ND 3F 40° BL	2973	29.3	112	3000	230	115	195
8717696132169	Plaza 3000lm 930 PW ND 3F 40° WH	2973	29.3	102	3000	230	115	195
8717696133371	Plaza 3000lm 840 DALI 3F-EUTRAC 40° BL	2974	22.1	134	4000	230	115	195
8717696128834	Plaza 3000lm 840 ND 3F 40° BL	2974	22.1	134	4000	230	115	195
8717696128841	Plaza 3000lm 840 ND 3F 40° WH	2974	22.1	134	4000	230	115	195

# Plaza 4500lm



## Eigenschappen

CE  
 IP20  
 UGR <26  
 141 lm/w  
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L	H
8717696128872	Plaza 4500lm 840 ND 3F 40° BL	4495	31.9	141	4000	230	115	195
8717696128889	Plaza 4500lm 840 ND 3F 40° WH	4495	31.9	141	4000	230	115	195
8717696128858	Plaza 4500lm 830 ND 3F 40° BL	4498	35.5	127	3000	230	115	195
8717696128865	Plaza 4500lm 830 ND 3F 40° WH	4498	35.5	127	3000	230	115	195

# West 1100lm



## Eigenschappen

CE  
 IP20  
 UGR <21  
 128 lm/w  
 L80B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L
8717696148719	West 1100lm 840 ND 3F 15° BL	1080	8.7	124	4000	76	179
8717696149556	West 1100lm 840 ND 3F 15° WH	1080	8.7	124	4000	76	179
8717696148726	West 1100lm 840 ND 3F 24° BL	1080	8.7	124	4000	76	179
8717696149563	West 1100lm 840 ND 3F 24° WH	1080	8.7	124	4000	76	179
8717696148733	West 1100lm 840 ND 3F 36° BL	1080	8.7	124	4000	76	179
8717696149570	West 1100lm 840 ND 3F 36° WH	1080	8.7	124	4000	76	179
8717696148740	West 1100lm 930 ND 3F 15° BL	1080	8.7	124	3000	76	179
8717696149587	West 1100lm 930 ND 3F 15° WH	1080	8.7	124	3000	76	179
8717696148757	West 1100lm 930 ND 3F 24° BL	1080	8.7	124	3000	76	179
8717696149594	West 1100lm 930 ND 3F 24° WH	1080	8.7	124	3000	76	179
8717696148764	West 1100lm 930 ND 3F 36° BL	1080	8.7	124	3000	76	179
8717696149600	West 1100lm 930 ND 3F 36° WH	1080	8.7	124	3000	76	179
8717696148689	West 1100lm 830 ND 3F 15° BL	1081	9	120	3000	76	179
8717696149525	West 1100lm 830 ND 3F 15° WH	1081	9	120	3000	76	179
8717696148696	West 1100lm 830 ND 3F 24° BL	1081	9	120	3000	76	179
8717696149532	West 1100lm 830 ND 3F 24° WH	1081	9	120	3000	76	179
8717696148702	West 1100lm 830 ND 3F 36° BL	1081	9	120	3000	76	179
8717696149549	West 1100lm 830 ND 3F 36° WH	1081	9	120	3000	76	179

# West 2000lm



## Eigenschappen

CE  
 IP20  
 UGR <21  
 128 lm/w  
 L80B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L
8717696148627	West 2000lm 830 ND 3F 15° BL	1977	16.3	121	3000	76	179
8717696149617	West 2000lm 830 ND 3F 15° WH	1977	16.3	121	3000	76	179
8717696148634	West 2000lm 830 ND 3F 24° BL	1977	16.3	121	3000	76	179
8717696149624	West 2000lm 830 ND 3F 24° WH	1977	16.3	121	3000	76	179
8717696148641	West 2000lm 830 ND 3F 36° BL	1977	16.3	121	3000	76	179
8717696149631	West 2000lm 830 ND 3F 36° WH	1977	16.3	121	3000	76	179
8717696148658	West 2000lm 830 PW ND 3F 15° BL	1979	16.8	118	3000	76	179
8717696149648	West 2000lm 830 PW ND 3F 15° WH	1979	16.8	118	3000	76	179
8717696148665	West 2000lm 830 PW ND 3F 24° BL	1979	16.8	118	3000	76	179
8717696149655	West 2000lm 830 PW ND 3F 24° WH	1979	16.8	118	3000	76	179
8717696148672	West 2000lm 830 PW ND 3F 36° BL	1979	16.8	118	3000	76	179
8717696149662	West 2000lm 830 PW ND 3F 36° WH	1979	16.8	118	3000	76	179

# West 3000lm



## Eigenschappen

CE  
 IP20  
 UGR <21  
 128 lm/w  
 L80B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L
8717696148597	West 3000lm 830 ND 3F 15° BL	2971	23.2	128	3000	76	179
8717696149686	West 3000lm 830 ND 3F 15° WH	2971	23.2	128	3000	76	179
8717696148603	West 3000lm 830 ND 3F 24° BL	2971	23.2	128	3000	76	179
8717696149679	West 3000lm 830 ND 3F 24° WH	2971	23.2	128	3000	76	179
8717696148610	West 3000lm 830 ND 3F 36° BL	2971	23.2	128	3000	76	179
8717696149693	West 3000lm 830 ND 3F 36° WH	2971	23.2	128	3000	76	179
8717696148566	West 3000lm 830 PW ND 3F 15° BL	2972	24	124	3000	76	179
8717696149709	West 3000lm 830 PW ND 3F 15° WH	2972	24	124	3000	76	179
8717696148573	West 3000lm 830 PW ND 3F 24° BL	2972	24	124	3000	76	179
8717696149716	West 3000lm 830 PW ND 3F 24° WH	2972	24	124	3000	76	179
8717696148580	West 3000lm 830 PW ND 3F 36° BL	2972	24	124	3000	76	179
8717696149723	West 3000lm 830 PW ND 3F 36° WH	2972	24	124	3000	76	179
8717696148771	West 3000lm 930 ND 3F 15° BL	2973	29.3	102	3000	76	179
8717696149730	West 3000lm 930 ND 3F 15° WH	2973	29.3	102	3000	76	179
8717696148788	West 3000lm 930 ND 3F 24° BL	2973	29.3	102	3000	76	179
8717696149747	West 3000lm 930 ND 3F 24° WH	2973	29.3	102	3000	76	179
8717696148795	West 3000lm 930 ND 3F 36° BL	2973	29.3	102	3000	76	179
8717696149754	West 3000lm 930 ND 3F 36° WH	2973	29.3	102	3000	76	179
8717696148801	West 3000lm 930 PW ND 3F 15° BL	2973	29.3	102	3000	76	179
8717696149761	West 3000lm 930 PW ND 3F 15° WH	2973	29.3	102	3000	76	179



## West 3000lm

Artikel	Omschrijving	lm	W	lm/W	K	Ø	L
8717696148818	West 3000lm 930 PW ND 3F 24° BL	2973	29.3	102	3000	76	179
8717696149778	West 3000lm 930 PW ND 3F 24° WH	2973	29.3	102	3000	76	179
8717696148825	West 3000lm 930 PW ND 3F 36° BL	2973	29.3	102	3000	76	179
8717696149785	West 3000lm 930 PW ND 3F 36° WH	2973	29.3	102	3000	76	179