

VENUS 125/78 0950lm



Eigenschappen

CE
IP44
UGR <19
>116 lm/w
RAL9003
L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696130572	VENUS 125/078 0900lm 830 ND IP44 GST18/3 WH	899	7.7	116	3000	125	78	112	99
8717696145701	VENUS 125/078 0950lm 840 ND IP44 GST18/3 WH	899	7.5	120	4000	125	78	112	99
8717696128018	MG	899	7.5	120	400	125	78	112	99

VENUS 125/78 1100lm



Eigenschappen

CE
 IP44
 UGR <19
 >101 lm/w
 RAL9003
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696139366	127V 60Hz	1078	9.3	116	2700	125	78	112	99
8717696139496	Ral5010 127V 60Hz	1078	9.3	116	2700	125	78	112	99
8717696128124	VENUS 125/078 1100lm 827 ND IP44 GST18/3 WH	1078	9.3	116	2700	125	78	112	99
8717696114554	VENUS 125/078 1100lm 840 DALI IP44 GST18/3	1080	8.7	124	4000	125	78	112	99
8717696145374	BST14i/2 WH	1080	8.7	124	4000	125	78	112	99
8717696130790	VENUS 125/078 1100lm 840 DIM 1-10V IP44	1080	8.7	124	4000	125	78	112	99
8717696141482	VENUS 125/078 1100lm 840 ND IP44 GST18/3 BL	1080	8.7	124	4000	125	78	112	99
8717696112376	VENUS 125/078 1100lm 840 ND IP44 GST18/3 WH	1080	8.7	124	4000	125	78	112	99
8717696145817	VENUS 125/078 1100lm 840 ND IP44 GST18/3 WH	1080	8.7	124	4000	125	78	112	99
8717696130745	VENUS 125/078 1100lm 840 ND IP44 GST18/4 WH	1080	8.7	124	4000	125	78	112	99
8717696139038	VENUS 125/078 1100lm 840 ND IP44 GST18/4 WH	1080	8.7	124	4000	125	78	112	99
8717696141024	VENUS 125/078 1100lm 930 ND IP44 GST18/3 BL	1080	10.7	101	3000	125	78	112	99
8717696119733	VENUS 125/078 1100lm 930 PW ND IP44 GST18/3	1080	10.7	101	3000	125	78	112	99

VENUS 125/78 1100lm

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696129015	VENUS 125/078 1100lm 830 DALI IP44 GST18/3	1081	9	120	3000	125	78	112	99
8717696132916	VENUS 125/078 1100lm 830 DIM 1-10V IP44	1081	9	120	3000	125	78	112	99
8717696134514	VENUS 125/078 1100lm 830 Fase Dim IP44	1081	9	120	3000	125	78	112	99
8717696139021	VENUS 125/078 1100lm 830 ND IP44 GST18/3 BL	1081	9	120	3000	125	78	112	99
8717696114509	VENUS 125/078 1100lm 830 ND IP44 GST18/3 WH	1081	9	120	3000	125	78	112	99
8717696130479	VENUS 125/078 1100lm 830 ND IP44 GST18/4 WH	1081	9	120	3000	125	78	112	99

VENUS 125/78 2000lm



Eigenschappen

CE
 IP44
 UGR <19
 >121 lm/w
 RAL9003
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696119047	VENUS 125/078 2000lm 830 DALI IP44 GST18/3	1977	16.3	121	3000	125	78	112	99
8717696119023	VENUS 125/078 2000lm 830 ND IP44 GST18/3 WH	1977	16.3	121	3000	125	78	112	99
8717696128025	VENUS 125/078 2000lm 840 ND IP44 GST18/3 WH	1978	15.6	127	4000	125	78	112	99

VENUS 196/110 900lm



Eigenschappen

CE
 IP44
 UGR <16
 >116 lm/w
 RAL9003
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696122504	VENUS 196/110 0900lm 830 PIR Opaal ND	899	7.7	116	3000	196	110	175	131
8717696122511	VENUS 196/110 0900lm 840 PIR Opaal ND	899	7.5	120	4000	196	110	175	131
8717696139977	VENUS 196/110 0950lm 830 Fase Dim IP44	899	7.7	116	3000	196	110	175	131
8717696127097	VENUS 196/110 0950lm 830 ND GST18/3 IP44 WH	899	7.7	116	3000	196	110	175	131
8717696128087	VENUS 196/110 0950lm 840 ND GST18/3 IP44 WH	899	7.5	120	4000	196	110	175	131
8717696128087	VENUS 196/110 0950lm 840 ND GST18/3 IP44 WH	899	7.5	120	4000	196	110	175	131
8717696127875	VENUS 196/110 0950lm 840 ND GST18/3 IP44 WH	899	7.5	120	4000	196	110	175	131

VENUS 196/110 1100lm



Eigenschappen

CE
IP44
UGR <16
>108 lm/w
RAL9003
L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696128131	VENUS 196/110 1100lm 827 ND GST18/3 IP44 WH	1078	9.3	116	2700	196	110	175	131
8717696121897	VENUS 196/110 1100lm 940 PW ND GST18/3 IP44	1079	10	108	4000	196	110	175	131
8717696096256	VENUS 196/110 1100lm 840 DALI GST18/3 IP44	1080	8.7	124	4000	196	110	175	131
8717696114066	VENUS 196/110 1100lm 840 DALI GST18/4 IP44	1080	8.7	124	4000	196	110	175	131
8717696134040	VENUS 196/110 1100lm 840 ND GST18/3 IP44 BL	1080	8.7	124	4000	196	110	175	131
8717696096263	VENUS 196/110 1100lm 840 ND GST18/3 IP44 WH	1080	8.7	124	4000	196	110	175	131
8717696105439	VENUS 196/110 1100lm 840 ND GST18/3 IP44 WH	1080	8.7	124	4000	196	110	175	131
8717696114462	VENUS 196/110 1100lm 840 ND GST18/4 IP44 WH	1080	8.7	124	4000	196	110	175	131
8717696125352	VENUS 196/110 1100lm 840 ND GST18/4 IP44 WH	1080	8.7	124	4000	196	110	175	131
8717696125444	VENUS 196/110 1100lm 840 ND RA IP44 WH	1080	8.7	124	4000	196	110	175	131
8717696118125	VENUS 196/110 1100lm 840 ND Winsta 3P IP44	1080	8.7	124	4000	196	110	175	131
8717696127639	VENUS 196/110 1100lm 850 ND GST18/3 IP44 WH	1080	8.7	124	5000	196	110	175	131
8717696127639	VENUS 196/110 1100lm 850 ND GST18/3 IP44 WH	1080	8.7	124	5000	196	110	175	131
8717696096249	VENUS 196/110 1100lm 830 DALI GST18/3 IP44	1081	9	120	3000	196	110	175	131
8717696121309	VENUS 196/110 1100lm 830 DIM 1-10V GST18/3	1081	9	120	3000	196	110	175	131
8717696144551	VENUS 196/110 1100lm 830 Fase Dim GST18/3	1081	9	120	3000	196	110	175	131
8717696096232	VENUS 196/110 1100lm 830 ND GST18/3 IP44 WH	1081	9	120	3000	196	110	175	131

VENUS 196/110 1100lm

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696121330	VENUS 196/110 1100lm 830 ND GST18/3 IP44 WH	1081	9	120	3000	196	110	175	131
8717696121347	VENUS 196/110 1100lm 830 ND GST18/4 IP44 WH	1081	9	120	3000	196	110	175	131
8717696102384	VENUS 196/110 1100lm 830 ND GST18/4 IP44 WH	1081	9	120	3000	196	110	175	131

VENUS 196/110 2000lm



Eigenschappen

CE
 IP44
 UGR <16
 >99 lm/w
 RAL9003
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696119795	VENUS 196/110 2000lm 930 PW ND GST18/3 IP44	1971	20	99	3000	196	110	175	131
8717696121903	VENUS 196/110 2000lm 940 PW ND GST18/3 IP44	1972	18.4	107	4000	196	110	175	131
8717696096287	VENUS 196/110 2000lm 830 DALI GST18/3 IP44	1977	16.3	121	3000	196	110	175	131
8717696114691	VENUS 196/110 2000lm 830 DALI GST18/4 IP44	1977	16.3	121	3000	196	110	175	131
8717696130431	VENUS 196/110 2000lm 830 Dim 1-10V GST18/3	1977	16.3	121	3000	196	110	175	131
8717696139069	VENUS 196/110 2000lm 830 Dim 1-10V GST18/3	1977	16.3	121	3000	196	110	175	131
8717696145312	VENUS 196/110 2000lm 830 ND GST18/3 IP44 ALU	1977	16.3	121	3000	196	110	175	131
8717696128032	VENUS 196/110 2000lm 830 ND GST18/3 IP44 BL	1977	16.3	121	3000	196	110	175	131
8717696128032	VENUS 196/110 2000lm 830 ND GST18/3 IP44 BL	1977	16.3	121	3000	196	110	175	131
8717696131667	VENUS 196/110 2000lm 830 ND GST18/3 IP44 BL	1977	16.3	121	3000	196	110	175	131
8717696096270	VENUS 196/110 2000lm 830 ND GST18/3 IP44 WH	1977	16.3	121	3000	196	110	175	131
8717696121323	VENUS 196/110 2000lm 830 ND GST18/3 IP44 WH	1977	16.3	121	3000	196	110	175	131
8717696100328	VENUS 196/110 2000lm 830 ND GST18/4 IP44 WH	1977	16.3	121	3000	196	110	175	131
8717696129309	VENUS 196/110 2000lm 840 DALI GST18/3	1978	15.6	127	4000	196	110	175	131
8717696096300	VENUS 196/110 2000lm 840 DALI GST18/3 IP44	1978	15.6	127	4000	196	110	175	131
8717696114073	VENUS 196/110 2000lm 840 DALI GST18/4 IP44	1978	15.6	127	4000	196	110	175	131
8717696096294	VENUS 196/110 2000lm 840 ND GST18/3 IP44 WH	1978	15.6	127	4000	196	110	175	131

VENUS 196/110 2000lm

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696115872	VENUS 196/110 2000lm 840 ND GST18/3 IP44 WH	1978	15.6	127	4000	196	110	175	131
8717696133326	VENUS 196/110 2000lm 840 ND GST18/3 IP44 WH	1978	15.6	127	4000	196	110	175	131
8717696133210	VENUS 196/110 2000lm 840 ND GST18/4 IP44 WH	1978	15.6	127	4000	196	110	175	131
8717696118682	VENUS 196/110 2000lm 840 ND GST18/4 IP44 WH	1978	15.6	127	4000	196	110	175	131
8717696125451	VENUS 196/110 2000lm 840 ND RA IP44 WH	1978	15.6	127	4000	196	110	175	131
8717696127257	VENUS 196/110 2000lm 840 PIR Opaal ND	1978	15.6	127	4000	196	110	175	131
8717696127257	VENUS 196/110 2000lm 840 PIR Opaal ND	1978	15.6	127	4000	196	110	175	131
8717696127165	VENUS 226/130 2000lm 840 ND GST18/3 IP44 WH	1978	15.6	127	4000	226	130	203	151
8717696120562	VENUS 196/110 2000lm 927 ND GST18/3 IP44 WH	1981	20.5	97	2700	196	110	175	131
8717696130370	VENUS 196/110 2000lm 850 DALI GST18/3 IP44	1982	15.6	127	5000	196	110	175	131
8717696127646	VENUS 196/110 2000lm 850 ND GST18/3 IP44 WH	1982	15.6	127	5000	196	110	175	131
8717696127646	VENUS 196/110 2000lm 850 ND GST18/3 IP44 WH	1982	15.6	127	5000	196	110	175	131
8717696125468	VENUS 196/110 2000lm 850 ND RA IP44 WH	1982	15.6	127	5000	196	110	175	131
8717696131346	VENUS 196/110 2000lm 930 FPR ND GST18/3 IP44	2027	29.4	69	3000	196	110	175	131

VENUS 196/110 3000lm



Eigenschappen

CE
 IP44
 UGR <16
 >128 lm/w
 RAL9003
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696145329	VENUS 196/110 3000lm 830 ND GST18/3 IP44 ALU	2971	23.2	128	3000	196	110	175	131
8717696124621	VENUS 196/110 3000lm 830 ND GST18/3 IP44 WH	2971	23.2	128	3000	196	110	175	131
8717696142175	VENUS 196/110 3000lm 830 ND GST18/4 IP44 WH	2971	23.2	128	3000	196	110	175	131
8717696137911	VENUS 196/110 3000lm 940 PW ND GST18/3 IP44	2971	26.6	112	4000	196	110	175	131
8717696132725	VENUS 196/110 3000lm 840 ND GST18/3 IP44 WH	2974	22.1	134	4000	196	110	175	131

JUPITER 219/135 900lm



Eigenschappen

CE
 IP20
 UGR <17
 >120 lm/w
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696138581	JUPITER 219/135 900lm 840 SLM ND GST18/3	899	7.7	120	4000	219	135	200	155
8717696140522	JUPITER 219/135 900lm 830 SLM ND GST18/3	899	7.7	120	3000	219	135	200	155

JUPITER 219/135 1100lm



Eigenschappen

CE
 IP20
 UGR <17
 >120 lm/w
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696119566	JUPITER 219/135 1100lm 840 DALI GST18/3	1080	8.7	124	4000	219	135	200	155
8717696106054	JUPITER 219/135 1100lm 840 DALI GST18/3 IP20	1080	8.7	124	4000	219	135	200	155
8717696122313	JUPITER 219/135 1100lm 840 ND GST18/3 IP20 BL	1080	8.7	124	4000	219	135	200	155
8717696105996	JUPITER 219/135 1100lm 840 ND GST18/3 IP20	1080	8.7	124	4000	219	135	200	155
8717696117357	JUPITER 219/135 1100lm 840 ND GST18/4 IP20	1080	8.7	124	4000	219	135	200	155
8717696118071	JUPITER 219/135 1100lm 840 ND Winsta 3P IP20	1080	8.7	124	4000	219	135	200	155
8717696136600	JUPITER 219/135 1100lm 840 SLM ND GST18/3	1080	8.7	124	4000	219	135	200	155
8717696137683	JUPITER 219/135 1100lm 930 CW SLM ND	1080	10.7	120	3000	219	135	200	155
8717696106047	JUPITER 219/135 1100lm 830 DALI GST18/3 IP20	1081	9	120	3000	219	135	200	155
8717696106474	JUPITER 219/135 1100lm 830 DALI GST18/5 IP20	1081	9	120	3000	219	135	200	155
8717696142168	JUPITER 219/135 1100lm 830 1-10V GST18/3 IP20	1081	9	120	3000	219	135	200	155
8717696121910	JUPITER 219/135 1100lm 830 ND GST18/3 IP20 BL	1081	9	120	3000	219	135	200	155
8717696105989	JUPITER 219/135 1100lm 830 ND GST18/3 IP20	1081	9	120	3000	219	135	200	155
8717696106443	JUPITER 219/135 1100lm 830 ND GST18/4 IP20	1081	9	120	3000	219	135	200	155
8717696118255	JUPITER 219/135 1100lm 830 ND Winsta 3P IP20	1081	9	120	3000	219	135	200	155
8717696131926	JUPITER 219/135 1100lm 830 SLM DALI GST18/5	1081	9	120	3000	219	135	200	155

JUPITER 219/135 2000lm



Eigenschappen

CE
 IP20
 UGR <17
 >120 lm/w
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696139489	JUPITER 219/135 2000lm 930 SLM ND GST18/3	1971	20	120	3000	219	135	200	155
8717696127080	JUPITER 219/135 2000lm 830 1-10V GST18/3 IP20	1977	16.3	121	3000	219	135	200	155
8717696140690	JUPITER 219/135 2000lm 830 DALI GST18/3 IP20	1977	16.3	121	3000	219	135	200	155
8717696106061	JUPITER 219/135 2000lm 830 DALI GST18/3 IP20	1977	16.3	121	3000	219	135	200	155
8717696106481	JUPITER 219/135 2000lm 830 DALI GST18/5 IP20	1977	16.3	121	3000	219	135	200	155
8717696106467	JUPITER 219/135 2000lm 830 DALI GST18/5 IP20	1977	16.3	121	3000	219	135	200	155
8717696119238	JUPITER 219/135 2000lm 830 ND GST18/3 IP20 BL	1977	16.3	121	3000	219	135	200	155
8717696106009	JUPITER 219/135 2000lm 830 ND GST18/3 IP20	1977	16.3	121	3000	219	135	200	155
8717696138017	JUPITER 219/135 2000lm 830 ND GST18/4 IP20 BL	1977	16.3	121	3000	219	135	200	155
8717696106450	JUPITER 219/135 2000lm 830 ND GST18/4 IP20	1977	16.3	121	3000	219	135	200	155
8717696133654	JUPITER 219/135 2000lm 830 SLM ND GST18/3	1977	16.3	121	3000	219	135	200	155
8717696119580	JUPITER 219/135 2000lm 840 DALI GST18/3 IP20	1978	15.6	128	4000	219	135	200	155
8717696145350	JUPITER 219/135 2000lm 840 DALI GST18/3-	1978	15.6	128	4000	219	135	200	155
8717696140720	JUPITER 219/135 2000lm 840 DALI GST18/5 IP20	1978	15.6	128	4000	219	135	200	155
8717696106078	JUPITER 219/135 2000lm 840 DALI GST18/5 IP20	1978	15.6	128	4000	219	135	200	155
8717696110839	JUPITER 219/135 2000lm 840 DALI GST18/5 IP20	1978	15.6	128	4000	219	135	200	155
8717696119740	JUPITER 219/135 2000lm 840 DALI Winsta 3P IP20	1978	15.6	128	4000	219	135	200	155

JUPITER 219/135 2000lm

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696118033	JUPITER 219/135 2000lm 840 DALI Winsta 5P IP20	1978	15.6	128	4000	219	135	200	155
8717696122207	JUPITER 219/135 2000lm 840 ND GST18/3 IP20 BL	1978	15.6	128	4000	219	135	200	155
8717696106016	JUPITER 219/135 2000lm 840 ND GST18/3 IP20	1978	15.6	128	4000	219	135	200	155
8717696117364	JUPITER 219/135 2000lm 840 ND GST18/4 IP20	1978	15.6	128	4000	219	135	200	155
8717696118002	JUPITER 219/135 2000lm 840 ND Winsta 3P IP20	1978	15.6	128	4000	219	135	200	155
8717696118019	JUPITER 219/135 2000lm 840 ND Winsta 4P IP20	1978	15.6	128	4000	219	135	200	155
8717696136433	JUPITER 219/135 2000lm 840 SLM ND GST18/3	1978	15.6	128	4000	219	135	200	155
8717696136624	JUPITER 219/135 2000lm 840 SLM ND GST18/3	1978	15.6	128	4000	219	135	200	155
8717696146005	JUPITER 219/135 2000lm 827 SLM ND GST18/3	1981	17	120	2700	219	135	200	155

TECNO-LED Compact 1100lm



Eigenschappen

CE
 IP40
 UGR <19
 >101 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696150545	Tecno-LED Com 1100lm 827 ND GST18/3 IP40 BL	1078	9.3	116	2700	153	122	140	142
8717696113977	Tecno-LED Com 1100lm 827 ND GST18/3 IP40 WH	1078	9.3	116	2700	153	122	140	142
8717696107570	Tecno-LED Com 1100lm 840 ND GST18/3 IP40 WH	1080	8.7	124	4000	153	122	140	142
8717696116121	Tecno-LED Com 1100lm 930 PW ND GST18/3 IP40	1080	10.7	101	3000	153	122	140	142
8717696150361	Tecno-LED Com 1100lm 830 ND GST18/3 IP40 BL	1081	9	120	3000	153	122	140	142
8717696106528	Tecno-LED Com 1100lm 830 ND GST18/3 IP40 WH	1081	9	120	3000	153	122	140	142
8717696130547	+ Honeycomb	1081	9	120	3000	153	122	140	142

TECNO-LED Compact 2000lm



Eigenschappen

CE
 IP40
 UGR <19
 >107 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696137904	Tecno-LED Com 2000lm 940 PW ND GST18/3 IP40	1972	18.4	107	4000	153	122	140	142
8717696107587	Tecno-LED Com 2000lm 830 ND GST18/3 IP40 WH	1977	16.3	121	3000	153	122	140	142
8717696130561	Tecno-LED Com 2000lm 830 1-10V GST18/3 IP40	1977	16.3	121	3000	153	122	140	142
8717696117159	Tecno-LED Com 2000lm 827 ND GST18/3 IP40 WH	1978	18.4	107	2700	153	122	140	142
8717696107594	Tecno-LED Com 2000lm 840 ND GST18/3 IP40 WH	1978	15.6	127	4000	153	122	140	142

TECNO-LED 1100lm



Eigenschappen

CE
 IP40
 UGR <19
 >116 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696113984	Tecno-LED 1100lm 827 ND GST18/3 IP40 WH	1078	9.3	116	2700	188	150	170	150
8717696145725	Tecno-LED 1100lm 840 DALI GST18/3 IP40 WH	1080	8.7	124	4000	188	150	170	150
8717696096447	Tecno-LED 1100lm 840 ND GST18/3 IP40 WH	1080	8.7	124	4000	188	150	170	150
8717696107020	Tecno-LED 1100lm 830 DALI GST18/3 IP40 WH	1081	9	120	3000	188	150	170	150
8717696096430	Tecno-LED 1100lm 830 ND GST18/3 IP40 WH	1081	9	120	3000	188	150	170	150

TECNO-LED 1300lm



Eigenschappen

CE
IP40
UGR <19
>74 lm/w
RAL9016
L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696121682	Tecno-LED 1300lm 930 FPR ND GST18/3 IP40 WH	1306	17.7	74	3000	188	150	170	150
8717696124669	Tecno-LED 1300lm 930 CW ND GST18/3 IP40 WH	1350	16.6	81	3000	188	150	170	150
8717696125499	Tecno-LED 1300lm 930 PW ND GST18/3 IP40 WH	1352	13.3	102	3000	188	150	170	150

TECNO-LED 2000lm



Eigenschappen

CE
 IP40
 UGR <19
 >99 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696125505	Tecno-LED 2000lm 930 PW ND GST18/3 IP40 WH	1971	20	99	3000	188	150	170	150
8717696115902	Tecno-LED 2000lm 940 PW ND GST18/3 IP40 WH	1972	18.4	107	4000	188	150	170	150
8717696102612	Tecno-LED 2000lm 830 DALI GST18/3 IP40 WH	1977	16.3	121	3000	188	150	170	150
8717696134033	Tecno-LED 2000lm 830 DALI GST18/5 IP40 BL	1977	16.3	121	3000	188	150	170	150
8717696096454	Tecno-LED 2000lm 830 ND GST18/3 IP40 WH	1977	16.3	121	3000	188	150	170	150
8717696119351	Tecno-LED 2000lm 827 ND GST18/3 IP40 24dgr	1978	18.4	107	2700	188	150	170	150
8717696113953	Tecno-LED 2000lm 827 ND GST18/3 IP40 WH	1978	18.4	107	2700	188	150	170	150
8717696132145	Tecno-LED 2000lm 840 ND GST18/3 IP40 60° WH	1978	15.6	127	4000	188	150	170	150
8717696096461	Tecno-LED 2000lm 840 ND GST18/3 IP40 WH	1978	15.6	127	4000	188	150	170	150
8717696131636	Tecno-LED 2000lm 925 FWW ND GST18/3 IP40	1979	26.6	74	2500	188	150	170	150
8717696124652	Tecno-LED 2000lm 930 CW ND GST18/3 IP40 WH	1980	24.7	80	3000	188	150	170	150
8717696121378	Tecno-LED 2000lm 930 FPR ND GST18/3 IP40 WH	2027	29.4	69	3000	188	150	170	150

TECNO-LED 3000lm



Eigenschappen

CE
 IP40
 UGR <19
 >107 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696096515	Tecno-LED 3000lm 925 FWW ND GST18/3 IP40	2791	39.5	71	2500	188	150	170	150
8717696130066	Tecno-LED 3000lm 840 1-10V Dim GST18/3 IP40	2969	22.6	131	4000	188	150	170	150
8717696130356	Tecno-LED 3000lm 840 1-10V Dim GST18/4 IP40	2969	22.6	131	4000	188	150	170	150
8717696130059	Tecno-LED 3000lm 840 DALI GST18/3 IP40 60gr	2969	22.6	131	4000	188	150	170	150
8717696110914	Tecno-LED 3000lm 840 DALI GST18/3 IP40 WH	2969	22.6	131	4000	188	150	170	150
8717696130677	Tecno-LED 3000lm 840 DALI GST18/4 IP40 60gr	2969	22.6	131	4000	188	150	170	150
8717696130073	Tecno-LED 3000lm 840 ND GST18/3 IP40 60gr WH	2969	22.6	131	4000	188	150	170	150
8717696096485	Tecno-LED 3000lm 840 ND GST18/3 IP40 WH	2969	22.6	131	4000	188	150	170	150
8717696113823	Tecno-LED 3000lm 827 ND GST18/3 IP40 WH	2970	26.3	113	2700	188	150	170	150
8717696096591	Tecno-LED 3000lm 930 FPR ND GST18/3 IP40 WH	2970	41.1	72	3000	188	150	170	150
8717696131780	Tecno-LED 3000lm 830 1-10v Dim GST18/3 IP40	2971	23.2	128	3000	188	150	170	150
8717696110822	Tecno-LED 3000lm 830 DALI GST18/5 IP40 WH	2971	23.2	128	3000	188	150	170	150
8717696096478	Tecno-LED 3000lm 830 ND GST18/3 IP40 WH	2971	23.2	128	3000	188	150	170	150
8717696103312	Tecno-LED 3000lm 927 ND GST18/3 IP40 WH	2971	27.8	107	2700	188	150	170	150
8717696138024	Tecno-LED 3000lm 930 CW ND GST18/3 IP40 BL	2971	36.4	82	3000	188	150	170	150

TECNO-LED 3000lm

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696103305	Tecno-LED 3000lm 930 CW ND GST18/3 IP40 WH	2971	36.4	82	3000	188	150	170	150
8717696115926	Tecno-LED 3000lm 940 PW DALI GST18/3 IP40	2971	26.6	112	4000	188	150	170	150
8717696132992	Tecno-LED 3000lm 930 PW ND GST18/3 IP40 BL	2973	29.3	102	3000	188	150	170	150
8717696116343	Tecno-LED 3000lm 930 PW ND GST18/3 IP40 WH	2973	29.3	102	3000	188	150	170	150

TECNO-LED 4500lm




Eigenschappen

CE
 IP40
 UGR <19
 >100 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696114783	Tecno-LED 4500lm 840 DALI GST18/5 IP40 WH	4495	31.9	141	4000	188	150	170	150
8717696096508	Tecno-LED 4500lm 840 ND GST18/3 IP40 WH	4495	31.9	141	4000	188	150	170	150
8717696129954	Tecno-LED 4500lm 830 DALI GST18/5 IP40 WH	4498	35.5	127	3000	188	150	170	150
8717696096492	Tecno-LED 4500lm 830 ND GST18/3 IP40 WH	4498	35.5	127	3000	188	150	170	150
8717696118637	Tecno-LED 4500lm 830 ND GST18/4 IP40 WH NU	4498	35.5	127	3000	188	150	170	150
8717696115575	Tecno-LED 4500lm 927 ND GST18/3 IP40 WH	4500	44.9	100	2700	188	150	170	150
8717696115483	Tecno-LED 4500lm 930 ND GST18/3 IP40 WH	4500	42.8	105	3000	188	150	170	150
8717696145053	Tecno-LED 4500lm 940 PW 1-10V GST18/5 PB	4501	37.3	121	4000	188	150	170	150
8717696119177	Tecno-LED 4500lm 940 PW DALI GST18/5 PB IP40	4501	37.3	121	4000	188	150	170	150
8717696117807	Tecno-LED 4500lm 940 PW ND GST18/3 IP40 WH	4501	37.3	121	4000	188	150	170	150
8717696116350	Tecno-LED 4500lm 930 PW ND GST18/3 IP40 WH	4502	40.8	110	3000	188	150	170	150

SUN 1 1000lm




Eigenschappen

CE
 IP20
 UGR <19
 >101 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696152945	SUN-1 110/110 1000lm 827 GST18/3 WH	1078	9.3	116	2700	108	110	98	110
8717696152952	SUN-1 110/110 1000lm 930 PW GST18/3 WH	1080	10.7	101	3000	108	110	98	110
8717696152921	SUN-1 110/110 1000lm 830 GST18/3 WH	1081	9	120	3000	108	110	98	110
8717696152938	SUN-1 110/110 1000lm 840 GST18/3 WH	1081	9.2	117	4000	108	110	98	110

SUN 1 2000lm




Eigenschappen

CE
 IP20
 UGR <19
 >99 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696152990	SUN-1 110/110 2000lm 930 PW GST18/3 WH	1971	20	99	3000	108	110	98	110
8717696152976	SUN-1 110/110 2000lm 830 GST18/3 WH	1977	16.3	121	3000	108	110	98	110
8717696152969	SUN-1 110/110 2000lm 827 GST18/3 WH	1978	18.4	107	2700	108	110	98	110
8717696152983	SUN-1 110/110 2000lm 840 GST18/3 WH	1978	15.6	127	4000	108	110	98	110

SUN 1 3000lm



Eigenschappen

CE
 IP20
 UGR <19
 >102lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696153003	SUN-1 110/110 3000lm 827 GST18/3 WH	2970	26.3	113	2700	108	110	98	110
8717696153010	SUN-1 110/110 3000lm 830 GST18/3 WH	2971	23.2	128	3000	108	110	98	110
8717696153034	SUN-1 110/110 3000lm 930 PW GST18/3 WH	2973	29.3	102	3000	108	110	98	110
8717696153027	SUN-1 110/110 3000lm 840 GST18/3 WH	2974	22.1	134	4000	108	110	98	110

ENO 2000lm



Eigenschappen

CE
 IP20
 CRI 90
 UGR <24
 >74lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	L	B	H	ZL	ZB	ID
8717696136501	Eno-LED 2000lm 930 PW ND GST18/3 IP40 WH	1971	20	99	3000	237	147	105	220	130	115
8717696128698	Eno-LED 2000lm 830 ND GST18/3 IP40 WH	1977	16.3	121	3000	237	147	105	220	130	115
8717696128704	Eno-LED 2000lm 840 ND GST18/3 IP40 WH	1978	15.6	127	4000	237	147	105	220	130	115
8717696146609	Eno-LED 2000lm 925 FWW ND GST18/3 IP40 WH	1979	26.6	74	2500	237	147	105	220	130	115

ENO 3000lm



Eigenschappen

CE
 IP20
 CRI 90
 UGR <24
 >72lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	L	B	H	ZL	ZB	ID
8717696133319	Eno-LED 3000lm 930 FPR ND GST18/3 IP40 WH	2970	41.1	72	3000	237	147	105	220	130	115
8717696128711	Eno-LED 3000lm 830 ND GST18/3 IP40 WH	2971	23.2	128	300	237	147	105	220	130	115
8717696134989	Eno-LED 3000lm 930 CW ND GST18/3 IP40 WH	2971	36.4	82	3000	237	147	105	220	130	115
8717696130585	Eno-LED 3000lm 930 ND GST18/3 IP40 WH	2973	29.3	102	3000	237	147	105	220	130	115
8717696131063	Eno-LED 3000lm 930 PW ND GST18/3 IP40 WH	2973	29.3	102	3000	237	147	105	220	130	115
8717696128728	Eno-LED 3000lm 840 ND GST18/3 IP40 WH	2974	22.1	134	4000	237	147	105	220	130	115

ENO 4500lm



Eigenschappen

CE
IP20
CRI 90
UGR <24
>127 lm/w
RAL9016
L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	L	B	H	ZL	ZB	ID
8717696128742	Eno-LED 4500lm 840 ND GST18/3 IP40 WH	4495	31.9	141	400	237	147	105	220	130	115
8717696128735	Eno-LED 4500lm 830 ND GST18/3 IP40 WH	4498	35.5	127	3000	237	147	105	220	130	115

PLUTO 205/100 1100lm



Eigenschappen

CE
 IP54
 UGR <21
 >117 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696137775	PLUTO 205/100 1100lm 840 ND GST18/3 IP54 WH	1080	7.7	140	4000	205	100	160	121
8717696137232	PLUTO 205/100 1100lm 830 DALI GST18/5 IP54	1081	9	120	3000	205	100	160	121
8717696131483	PLUTO 205/100 1100lm 830 ND GST18/3 IP54 WH	1081	9	120	3000	205	100	160	121
8717696134439	PLUTO 205/100 1100lm 830 ND GST18/4 IP54 WH	1081	9	120	3000	205	100	160	121
8717696136280	PLUTO 205/100 1100lm 840 DALI GST18/5 IP54	1081	9.2	117	4000	205	100	160	121
8717696130837	PLUTO 205/100 1100lm 840 ND GST18/3 IP54 WH	1081	9.2	117	4000	205	100	160	121
8717696135319	PLUTO 205/100 1100lm 840 ND GST18/4 IP54 WH	1081	9.2	117	4000	205	100	160	121
8717696145916	PLUTO 205/100 1100lm 840 ND Winsta 3P IP54	1081	9.2	117	4000	205	100	160	121

PLUTO 205/100 2000lm



Eigenschappen

CE
 IP54
 UGR <21
 127 lm/w
 RAL9016
 L80B50 80.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696137782	PLUTO 205/100 2000lm 840 ND GST18/3 IP54 WH	1080	15.6	127	4000	205	100	160	121
8717696131490	PLUTO 205/100 2000lm 830 ND GST18/3 IP54 WH	1977	16.3	121	3000	205	100	160	121
8717696131513	PLUTO 205/100 2000lm 830 ND GST18/4 IP54 WH	1977	16.3	121	3000	205	100	160	121
8717696137010	PLUTO 205/100 2000lm 840 ND GST18/3 IP54 BL	1979	15.6	127	4000	205	100	160	121
8717696131506	PLUTO 205/100 2000lm 840 ND GST18/3 IP54 WH	1979	15.6	127	4000	205	100	160	121
8717696151290	PLUTO 205/100 2000lm 840 ND GST18/4 IP54 WH	1979	15.6	127	4000	205	100	160	121
8717696145923	PLUTO 205/100 2000lm 840 ND Winsta 3P IP54	1979	15.6	127	4000	205	100	160	121
8717696136778	GST18/4 IP54 WH	2300			NVT	205	100	160	121

CIO 160 (in en opbouw)



Eigenschappen

CE
IP20
klasse 2
58lm/w
L70B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696150019	CIO 160 500lm 830 Triac dim 2 way mounting	500	9	58	3000	164	15	60	40
8717696150026	CIO 160 500lm 840 Triac dim 2 way mounting	500	9	58	4000	164	15	60	40

CIO 215 (in en opbouw)



Eigenschappen

CE
IP20
klasse 2
56 lm/w
L70B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID
8717696146630	CIO 215 1000lm 830 Triac dim 2 way mounting	1000	12	56	3000	217	15	60	40
8717696146654	CIO 215 1000lm 840 Triac dim 2 way mounting	1000	12	56	4000	217	15	60	40

CIO 290 (in en opbouw)



Eigenschappen

CE
IP20
klasse 2
63 lm/w
L70B50 50.000h

Artikel	Omschrijving	lm	W	lm/W	K	Ø	H	ZØ	ID	
8717696146715	CIO 290 1500lm 830 Triac dim 2 way mounting	1500	16	63	3000	292	15	60	40	
8717696146647	CIO 290 1500lm 840 Triac dim 2 way mounting	1500	16	63	4000	292	15	60	40	